City of Fayetteville Staff Review Form

2021-0455

Legistar File ID

7/6/2021

City Council Meeting Date - Agenda Item Only N/A for Non-Agenda Item

Sara Glenn		6/16/2021	6/16/2021 FLEET OPERA			
Submitted By		Submitted Date	Division /	Department		
	Actio	n Recommendation:				
A resolution to authorize the purchase Cooperative pricing in the amount of		•				
		Budget Impact:				
9700.770.1920-5802	.00		Shop			
Account Number		Fund				
02079.2020		Heavy Duty Utility Vehicles Project Title				
Project Number						
Budgeted Item?	Yes	Current Budget	\$	182,610.00		
	_	Funds Obligated	\$	210.99		
		Current Balance	\$	182,399.01		
Does item have a cost?	Yes	Item Cost	\$	147,220.00		
Budget Adjustment Attached?	No	Budget Adjustment				
_		Remaining Budget	\$	35,179.01		
Purchase Order Number:		Previous Ordinance o	or Resolution	V20180321		
Change Order Number:		Approval Date:				
Original Contract Number:		_				

Comments:



CITY COUNCIL MEMO

MEETING OF JULY 06, 2021

TO: Mayor and City Council

THRU: Terry Gulley, Director of Transportation

FROM: Sara Glenn, Fleet Operations Superintendent

DATE: June 16, 2021

SUBJECT: Purchase of vehicles off the Arkansas State Contract

RECOMMENDATION:

Council approves the purchase of a Kenworth T880 Tri-Axle Heavy Haul Truck Tractor using Sourcewell Cooperative pricing in the amount of \$147,220.25 through MHC Kenworth of Springdale, AR.

BACKGROUND:

Unit 763 is a 2009 Freightliner Truck Tractor with 13/15 points and has exceeded its life expectancy.

DISCUSSION:

A Kenworth T880 Tri-Axle Heavy Haul Truck Tractor is available for the Sourcewell contract price of \$147,220.25 through MHC Kenworth of Springdale, AR.

BUDGET/STAFF IMPACT:

Sufficient funds have been budgeted and collected for this purchase.

This item was approved at the June 8th, 2021 Equipment Committee meeting.

Attachments:

MHC Kenworth Sourcewell Quote



NEW TRUCK ORDER

SPRINGDALE, AR 72762 4678 N 45TH ST 1-479-756-1200

doing business as: MHC KENWORTH/VOLVO - SPRINGDALE

PURCHASER			ADDRESS	ADDRESS						
City of Fayetteville			113 W Mou	ıntain St						
BUSINESS PHONE	OTHER PHO	NE	CITY		STATE	ZIP CODE	COUNTY	DATE		
479-575-8289	479-575-82	257	Fayetteville	ville AR 72701-6069		WASHINGTON	06/03/2021			
QUANTITY	YEAR	MAKE	MODEL	BODY TYPE			YTYPE		SALESPERSON	
1	2022	KW	T880				JEREMY HENRY			
STOCK NUMBER		COLOR		TO BE DELIVER	TO BE DELIVERED ON OR ABOUT		FINANCIAL SOURCE			
				12/22/2021			Cash			
SERIAL NUMBERS										
PRICE OF VEHICLE(s) INCLUDING FI	ET						\$147,220.25		

2022 T880 Tri-Axle Heavy Haul
Includes base engine and Aftertreatment 2 yr/250K
Base Chassis 1yr/100K
PTO, pump, Hdy.Tank and hoses included
Any changes to specs will change unit price
Pricing based off Sourcewell
City of Fayetteville # 34143
Kenworth Sourcewell # 060920-KTC

TRADE TERMS AGREEMENT APPLICABLE

X YES

NOTE: If vehicle(s) are not funded within 15 days of truck receipt date at the dealer, customer will be charged a per diem amount per unit until units are fully funded. Customer has 60 days from delivery date of the truck to return and have any add-ons listed on the sales order completed.

	DESCRIPTION OF TRAD	DE-IN OR TRADE ATTACHMENT		
YEAR	MAKE	MODEL	SUBTOTAL	\$147,220.25
			BUSINESS TAX	
SERIAL	NUMBER	MILEAGE	SALES TAX	
			LOCAL TAX	
BALANC	E OWED TO	TRADE DIFFERENCE		
			REGISTRATION FEES	
			TOTAL DELIVERED PRICE	\$147,220.25
			LESS: TRADE-IN ALLOWANCE	
			LESS: BALANCE OWED ON TRADE-IN	
			TRADE-IN EQUITY	
			LESS: CASH DEPOSIT SUBMITTED WITH ORDER	
	PURCHASER	'S CERTIFICATION	CASH DUE ON DELIVERY (Includes above Taxes, but may not be inclusive of all Applicable Taxes)	
	Purchaser and the person signing this Order on behalf of Purchaser hereby certify that: 1. Purchaser and the person signing this Order on behalf of Purchaser have carefully		UNPAID BALANCE (Amount to be Separately Financed by Purchaser) Due in Cash on Delivery	\$147,220.25
i. Fulchi	iser and the person signing this	S Order on benail of Fulchaser have carefully		

- 1. Purchaser and the person signing this Order on behalf of Purchaser have carefully reviewed the terms and conditions printed on the front and reverse side hereof, and agree to be bound thereby. The terms and conditions printed on the front and reverse side hereof represent the entire and integrated agreement between the parties relating to the purchase and sale of the Vehicle and cancels and supersedes prior negotiations, representations or agreements, either written or oral.
- Purchaser and the person signing this Order on behalf of Purchaser have Carefully reviewed this Order and fully understand that the Vehicle listed above will be equipped only with the optional equipment specifically listed on the face of this Order plus all standard equipment as designated by the manufacturer at the time of delivery.
- 3. The person signing this Order on behalf of Purchaser is of legal age to execute binding contracts in this State. The person signing this Order on behalf of Purchaser has the authority and has been duly authorized to sign this Order on behalf of the Purchaser.

READ ALL PAGES OF THIS ORDER
AND CONDITIONS ON PAGE 2 HEREOF ARE PART OF THI

THE TERMS AND CONDITIONS ON PAGE 2 HEREOF ARE PART OF THIS ORDER.

THIS ORDER IS NOT VALID UNLESS SIGNED BY AND ACCEPTED BY AN AUTHORIZED MANAGER OF DEALER.

THE PRICE OF THIS VEHICLE DOES NOT INCLUDE ANY APPLICABLE TAXES, WHICH ARE THE RESPONSIBILITY OF PURCHASER AS SET FORTH ON ALL PAGES HEREOF.

ANY TAXES DISPLAYED ON THIS TRUCK ORDER ARE ESTIMATED. ACTUAL TAXES, AS APPLICABLE, WILL BE INVOICED TO THE PURCHASER AT THE PREVAILING TAX RATES AVAILABLE AT TIME OF VEHICLE INVOICE.

ANY DELIVERY DATES INDICATED ON THIS ORDER ARE ESTIMATES AND SUBJECT TO THE MANUFACTURERS' PRODUCTION SCHEDULE AND FINAL APPROVAL.

THIS ORDER CONTAINS A BINDING ARBITRATION PROVISION WHICH MAY BE ENFORCED BY THE PARTIES TERMS AND CONDITIONS ON PAGE 2 HEREOF ARE PART OF THIS AGREEMENT

SIGNED (AUTHORIZED REPRESENTATIVE OF PURCHASER):	DATE	ACCEPTED BY DEALER	DATE
		7-2/m_	6/3/21
		000	

(27-172536-248800)

Customer Initials _____

This Truck Order ("Order"), including the front of this Order and these terms and conditions, constitutes a contract for the purchase of the vehicle(s) or chassis ("Vehicle") listed and described on the front side hereof, between dealer identified on the front side hereof ("Dealer"), and the purchaser identified on the front side hereof ("Purchaser"). This Order is binding upon Dealer and Purchaser upon each party's execution on the front side hereof.

1. PRICE REVISION: The manufacturer of any new Vehicle ordered hereunder by Purchaser may change the price to dealer of such Vehicle after the date of this Order. In the event of any such price change, prior to the delivery of any new vehicle to Purchaser, the Dealer shall have the right to change the price of the Vehicle described on the front side hereof by providing notice of such change to Purchaser. If Purchaser does not agree to pay the changed price of the Vehicle, Purchaser shall cancel this Order by providing Dealer with written notice of such cancellation within two (2) days of notice from Dealer of the change in the price of the Vehicle. If Purchaser fails to timely provide Dealer with such written notice, Purchaser shall be bound to pay the changed cash price of the Vehicle. In the event Purchaser cancels this Order pursuant to this Paragraph 1 and has traded a used vehicle as part of the consideration for a new Vehicle purchased by Purchaser, such traded-in vehicle shall be returned to Purchaser upon payment of a reasonable charge for storage and repairs (if any) or, if such traded-in vehicle has been previously sold by Dealer, the amount received therefore less a selling commission of 15% and any expense for storing, insuring, conditioning, or advertising such vehicle for sale shall be returned to Purchaser.

2. DEALER NOT AGENT OF MANUFACTURER: It is understood that there is no relationship of principal and agent between the Dealer and the manufacturer of the Vehicle and that the Dealer is not authorized to act, or attempt to act, or represent itself, directly or by implication, as agent of the manufacturer, or in any manner assume or create, or attempt to assume or create, any obligation on behalf of or in the name of the manufacturer. It is further understood that neither Dealer nor anyone acting on its behalf has made, or adopted from the manufacturer, any guarantee, representation or warranty regarding the residual, trade-in, repurchase or buyback value of the Vehicle (a "Repurchase Obligation"), and that any Repurchase Obligation is the sole and exclusive responsibility of the manufacturer. Purchaser hereby acknowledges, agrees, represents and warrants that Purchaser shall look solely to the manufacturer to perform or satisfy any Repurchase Obligation.

3. DISCLAIMER OF WARRANTY: General: References to a "new Vehicle" herein shall mean a motor vehicle that has not been previously registered in any state of the United States of America. References to a "used Vehicle" herein shall mean a motor vehicle which has been previously registered or which should have been registered in a state of the United States of America. PURCHASER HEREBY ACKNOWLEDGES THAT DEALER NOR ANYONE ACTING ON ITS BEHALF HAS MADE ANY AFFIRMATION OF FACT, REPRESENTATION OR PROMISE RELATING TO THE VEHICLE THAT HAS BECOME A BASIS OF THIS TRANSACTION OR WHICH CREATES AN EXPRESS WARRANTY. NO SAMPLE OR MODEL HAS BECOME A BASIS OF THIS TRANSACTION OR WHICH CREATES AN EXPRESS WARRANTY. TO THE FULLEST EXTENT PERMITTED BY LAW, DEALER DISCLAIMS ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, INFRINGEMENT, AND THOSE ARISING OUT OF COURSE OF PERFORMANCE OR DEALING OR USAGE OF TRADE OR ANY OTHER IMPLIED WARRANTY WITH RESPECT TO THE VEHICLE.

New Vehicles: There are NO WARRANTIES, express or implied, made by Dealer or the manufacturer, on any new vehicle described on the front of this Order, except for the manufacturer's warranty applicable to such new Vehicle contained in the separate manufacturer's warranty which will be furnished to Purchaser upon delivery of the new vehicle. Such separate manufacturer's warranty shall be expressly IN LIEU OF any other express or implied warranty, condition or guarantee on the new Vehicle or any part thereof. Purchaser hereby acknowledges and agrees that Dealer has not in any manner adopted the manufacturer's warranty as a warranty of the Dealer and Purchaser acknowledges, agrees, represents and warrants that Purchaser shall look solely to the manufacturer to perform or satisfy any obligation under the manufacturer's warranty. Used Vehicles: Dealer sells any used vehicle AS IS with all faults and defects, and the Dealer disclaims all warranties with respect to the Dealer in connection with the sale of any used Vehicle. If the Purchaser is assigned the remaining term of any manufacturer's warranty, Purchaser hereby acknowledges, agrees, represents and warrants that Dealer has not in any manner adopted the manufacturer's warranty as a warranty of Dealer, and Purchaser acknowledges, agrees, represents and warrants that Purchaser shall look solely to the manufacturer to perform or satisfy any obligation under the manufacturer's warranty. As between Purchaser and Dealer, the entire risk as to the quality and performance of any used Vehicle is assumed by Purchaser. As between Purchaser and Dealer, the Purchaser assumes the entire cost of service and repair and loss with respect to any used Vehicle found to be defective.

4. LIMITATION OF LIABILITY: DEALER WILL NOT BE LIABLE TO PURCHASER OR ANY OTHER PARTY FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL, PUNITIVE OR OTHER INDIRECT DAMAGES, INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOST USE, LOST PROFITS, LOST SAVINGS OR OTHER COMMERCIAL OR ECONOMIC LOSS, EVEN IF DEALER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR THEY ARE FORESEEABLE OR FOR CLAIMS MADE BY A THIRD PARTY. IN NO EVENT SHALL DEALER'S TOTAL AGGREGATE LIABILITY TO PURCHASER OR ANY OTHER PARTY RELATING TO OR RESULTING FROM THE SALE, LICENSE OR USE OF A VEHICLE SUBJECT TO THIS ORDER OR THESE TERMS AND CONDITIONS EXCEED THE PURCHASE PRICE PAID FOR SUCH VEHICLE. THESE LIMITATIONS APPLY WHETHER THE LIABILITY IS BASED ON CONTRACT, TORT, STRICT LIABILITY OR ANY OTHER THEORY AND WHETHER THE ALLEGED BREACH OR DEFAULT IS A BREACH OF A FUNDAMENTAL CONDITION OR TERM, OR A FUNDAMENTAL BREACH. THESE LIMITATIONS APPLY TO THE FULLEST EXTENT PERMITTED BY LAW.

5. TRADE-IN VEHICLE: If a vehicle has been traded in as a part of the consideration for the Vehicle ordered by Purchaser hereunder and such traded in vehicle is not delivered to Dealer until delivery to Purchaser of the Vehicle, such trade-in vehicle shall be reappraised as directed by Dealer and such reappraisal value shall determine the allowance made for such vehicle. If such reappraised value is lower than the original allowance therefore shown on the face of this Order, Purchaser may, cancel this Order by providing Dealer with written notice of such cancellation within two (2) days after the reappraisal or prior to delivery of the Vehicle ordered hereunder to Purchaser whichever is earlier. If Purchaser fails to timely provide said written notice of such cancellation, Purchaser shall be bound to the armount of the reappraisal and shall pay the changed cash portion of the price of the Vehicle. The condition of any trade-in vehicle shall strictly comply with and Purchaser shall strictly comply with any Trade/Purchase Terms and Conditions Agreement signed by Purchaser ("Trade Terms Agreement"). If the condition of any trade-in vehicle is not strictly in compliance with, or if Purchaser has not strictly complied with the Trade Terms Agreement, Dealer shall not be obligated to accept the trade-in vehicle and the allowance shown on the front side hereof shall be deleted allowance to Dealer in cash upon delivery of the Vehicle.

6. PURCHASER'S REPRESENTATIONS AND WARRANTIES: Purchaser hereby represents and warrants that: (a) the trade-in vehicle shall be delivered free and clear from any security interest or other lien or encumbrance of any third person (except as otherwise noted on the title and agreed to in writing by Dealer at the time of the execution of this Order); (b) Purchaser shall promptly deliver to Dealer a valid certificate of title to the trade-in vehicle; (c) Purchaser has full power, right and lawful authority to dispose of the trade-in

vehicle; (d) the trade-in vehicle does not have a cracked or defective head, block, power train, or frame (including supportive portion of the anybody); (e) the engine and transmission have not been changed from the manufacturer's original equipment specifications; and (f) while owned by Purchaser, the odometer of the trade-in vehicle has not been replaced, tampered with or otherwise altered in any way and Purchaser has no reason to believe the trade-in vehicle's current odometer reading, as represented on the front side hercof, does not reflect its actual mileage. Purchaser further represents and warrants that Purchaser will use the Vehicle exclusively for a commercial use.

7. FAILURE OR REFUSAL TO ACCEPT DELIVERY: Except as provided in Paragraphs 1 and 5 of this Order, Purchaser may not cancel this Order. In the event that Purchaser fails or refuses to complete the purchase of the Vehicle, Purchaser shall pay Dealer, as liquidated damages and not as a penalty, the greater of the following: (a) twenty-five percent (25%) of the Total Delivered Price of the Vehicle, or (b) the cash deposit set forth on the front of this Order ("Liquidated Damages"). Dealer may apply any cash deposit made by Purchaser towards the Liquidated Damages. Further, in the event Purchaser has delivered to Dealer a trade- in vehicle as part of the consideration for the Vehicle, Dealer is authorized to sell such trade-in vehicle and Dealer may retain the proceeds thereof to salisfy the Liquidated Damages. Purchaser acknowledges that the Liquidated Damages are reasonable in light of the anticipated or actual harm caused by Purchaser's failure to complete the purchase. Purchaser further acknowledges that the Liquidated Damages do not constitute a penalty, but instead represent the parties' best estimate of the resulting damages given that the precise damages of Dealer are difficult to calculate.

8. TAXES: Unless otherwise agreed to in a writing signed by Purchaser and Dealer, Purchaser shall be solely responsible for the payment of all sales, use, consumer and other taxes arising out of this Order mandated by any applicable federal, state and local laws, codes, ordinances, rules and regulations, whether currently in effect, scheduled to go in effect, or subsequently enacted, including but not limited to, any increases in such taxes taking effect after the date of this Order. Purchaser shall be solely responsible for the cost and fees for all licenses, registrations and titles associated with the sale of the Vehicle.

9. FAILURE OR DELAY OF DELIVERY; FORCE MAJEURE: Dealer shall not be liable for failure to deliver or delay in delivery of the Vehicle where such failure to deliver or delay is due, in whole or in part, to any cause other than the gross negligence of Dealer. Further, Dealer will not have any liability for any breach caused by extreme weather or other act of God, strike or other labor shortage or disturbance, fire, accident, war, terrorist act or civil disturbance, delay of carriers, failure of normal sources of supply, act of government or any other cause beyond the reasonable control of Dealer.

10. NOTICES: It shall be a condition precedent to any liability of Dealer, whether in contract, tort, or otherwise, arising out of this Order or any other dealings between the parties that Purchaser provide written notice to Dealer of any claim, controversy, or alleged breach of this Order within ten (10) days of the event or occurrence giving rise to such claim, controversy or alleged breach and that Purchaser provide Dealer within a reasonable opportunity to cure the problems or issues giving rise to such claim, controversy or alleged breach of this Order. Notwithstanding the foregoing, Purchaser must provide Dealer with notice of any claim, controversy, or alleged breach of this Order and demand for arbitration within twelve months of discovery or accrual of the same, whichever occurs first. It is understood and agreed by the parties that the foregoing provision is both a condition precedent to the right to take such action, and a contractual modification to the statute of limitations for all actions, whether in contract, tort or otherwise, and failure to comply with this condition precedent and contractual statute of limitations shall be an absolute bar to recovery for any problems, issues, rights, claims or causes of action not specifically pled within the twelve month period. Whenever this Order requires that notice be provided to the other party, notice shall be deemed to have been validly given (i) if delivered in person to the party entitled to receive such notice, (ii) two (2) days after being sent by registered or certified mail, postage prepaid to the address indicated on the front side of this Order, or (iii) one (1) day after being sent via overnight mail through a respectable overnight delivery company.

11. ARBITRATION: Any controversy or claim arising out of or relating to this Order shall be decided by arbitration administered by the American Arbitration Association in accordance with its Commercial Arbitration Rules, subject to the limitations and restrictions set forth in this Paragraph 11. A demand for arbitration shall be made within a reasonable time after a controversy or claim has arisen and in no event shall be made after the date when institution of legal or equitable proceedings based upon such claim or controversy would be barred by the applicable statute of limitations, subject to the restriction set forth in Paragraph 10. The arbitrator(s) shall have no authority to award punitive or other damages not measured by the prevailing party's actual damages. The parties acknowledge and agree that this Order evidences a transaction involving interstate commerce. Accordingly, the United States Arbitration Act (Title 9 of the United States Code) shall govern the interpretation, enforcement and proceedings pursuant to the arbitration provisions of this Order. The place of arbitration shall be the American Arbitration Association's office closest to the location of Dealer designated on the front side hereof. The parties shall be entitled to discover all documents and information reasonably necessary for a full understanding of any relevant issue raised in the arbitration. Regardless of any term or provision herein to the contrary, claims for contribution or indemnity filed by a party in any lawsuit or action filed or asserted by a third party on account of personal injury or death of any person or damage to property shall not be subject to the terms and provisions of this Paragraph 11. The award rendered by the arbitrator(s) shall be final, and judgment may be entered upon it in accordance with applicable law in any court having jurisdiction thereof.

12. EXPENSES AND COSTS: Should Dealer be required to institute any action, including any arbitration

12. EXPENSES AND COSTS: Should Dealer be required to institute any action, including any arbitration proceeding, to enforce any of its rights set forth in this Order, then Dealer shall be entitled to reimbursement from Purchaser for all expenses, including but not limited to, reasonable attorneys' and experts' fees, and costs incurred by Dealer in connection with such action. In the event Purchaser institutes any action, including any arbitration proceeding, against Dealer and in the further event Dealer prevails in such action, Purchaser shall pay Dealer the amount of all expenses, including but not limited to reasonable attorneys' and experts' fees, and costs incurred by Dealer in connection with such action.

13. MISCELLANEOUS: This Order may not be changed, altered or amended in any way except in writing signed by a corporate officer or authorized manager of Dealer and an agent of Purchaser. Purchaser acknowledges and agrees that Purchaser has had an adequate opportunity to review and revise this Order and the Order shall not be construed against or in favor of Purchaser or Dealer. No waiver by either party of a breach or default hereunder will be deemed a waiver by such party of a subsequent breach or default of a like or similar nature. No waiver of any of these terms and conditions or any of the terms and conditions will be effective against Dealer unless it is in writing signed by a corporate officer or authorized manager of Dealer. No course of dealing or performance, usage of trade or failure to enforce any term or condition will be used to modify this Order. If any of these terms or conditions is unenforceable, such term or condition will be limited only to the extent necessary to make it enforceable, and all other terms and conditions will remain in full force and effect. This Order is deemed to have been entered into in the state of the location of Dealer designated on the front side hereof and will governed by the laws of the state of the location of Dealer designated on the front side hereof, without giving effect to the choice of laws provisions thereof. The remedies expressly provided for in these conditions will be in addition to any other remedies that Dealer may have under the Uniform Commercial Code or other applicable law. Purchaser may not assign this Order without the prior written consent of Dealer. These terms and conditions are for the exclusive benefit of Dealer and Purchaser and no other person will have rights hereunder.



MHC KENWORTH - SPRINGDALE (0996) 4720 WEST SUNSET SPRINGDALE, Arkansas 72762 CITY OF FAYETTEVILLE 1525 S HAPPY HOLLOW RD FAYETTEVILLE, Arkansas 72701 United States of America

Chassis

Lucas Massengale

Cell Phone:

Office Phone: 479-756-1200

Email: Lucas.Massengale@mhc.com

Unit

Vehicle Summary

	Unit	Chassis	
Model:	T880 Series Conventional	Fr Axle Load (lbs):	13220
Type:	TRACTOR	Rr Axle Load (lbs):	44000
Description 1:	T880 triaxle tractor	G.C.W. (lbs):	100000
Description 2:	Copy of T880 triaxle tractor		
	Application	Road Conditions:	
Intended Serv.:	Local pickup & delivery: Vehicles	Class A (Highway)	81
	which		
Commodity:	Heavy machinery.	Class B (Hwy/Mtn)	19
		Class C (Off-Hwy)	0
	Body	Class D (Off-Road)	0
Type:		Maximum Grade:	6
Length (ft):	0	Wheelbase (in):	236
Height (ft):	0	Overhang (in):	60
Max Laden Weight	0	Fr Axle to BOC (in):	74
(lbs):			
		Cab to Axle (in):	162
	Trailer	Cab to EOF (in):	222
No. of Trailer Axles:	3	Overall Comb. Length (in):	824.5
Type:	Flatbed		
Length (ft):	48	Special Req.	
Height (ft):	14	U.S. Domestic registry, 50-state.	
Kingpin Inset (in):	36		
Corner Radius (in):	0		
	Restrictions		
Longth (ft):	75		
Length (ft): Width (in):	102		
Height (ft):	13.5		
rieigni (ii.).	13.3		
Approved by:		Date:	

Note: All sales are F.O.B. designated plant of manufacture.

Price Level: January 1, 2021 Deal: T880 triaxle tractor

Printed On: 6/2/2021 2:35:18 PM



Sales Code	Std/ Opt	Description	Weight
Model			
0000810	S	T880 Series Conventional	15,549
0070060	S	T880	0
0072000	0	Chassis operation will not include a stationary application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	0
0080075	0	Dealer/Customer declines engine w/CARB Idle Emissions Reduction Feature.	0
0090000	S	Non-Sleeper w/rear axle capacity less than 59K.	0
Engine (& Equi	ipment	
0130321	0	X15 450V 450@2000 1650@950 2021 with Intebrake, Productivity Series N09200 C399 120Standard Maximum Speed Limit N09260 C121 65Maximum Accelerator Pedal Ve N09440 C234 NOEngine Protection Shutdown (N09460 C231 NOGear Down Protection (C231) N09580 C133 5Timer Setting (C133) N09680 C233 NOIdle Shutdown Manual Overrul N09480 C132 1400Max PTO Speed (C132) N09300 C128 65Maximum Cruise Speed (C128) N09500 C239 NOCruise Control Auto Resume (N09520 C238 NOAuto Engine Brake in Cruise N09780 C190 80High Ambient Temperature Thr N09740 C188 40Low Ambient Temperature Thre N09720 C382 YESEnable Hot Ambient Automatic N09600 C396 YESEnable Impending Shutdown Wa N09620 C397 60Timer For Impending Shutdown N09560 C225 YESEnable Idle Shutdown Park Br N09420 C333 0Reserve Speed Limit Offset (N09380 C334 0Maximum Cycle Distance (C334 N09360 C400 252Reserve Speed Function Reset N09400 C401 10Maximum Active Distance (C402) N0920 C402 0Expiration Distance (C402) N09540 C395 0Expiration Distance (C395) N09240 C209 120Hard Maximum Speed Limit (C2 N09760 C189 60Intermediate Ambient Tempera N09640 C206 35Engine Load Threshold (C206)	465
1000151	S	PremierSpec	0
1000244	0	Gearing Analysis: Balance power/economy blend results.	0
1000248	0	Customer's Typical Operating Spd: 55 MPH.	0

Printed On: 6/2/2021 2:35:18 PM



Sales Code	Std/ Opt	Description	Weight
1000683		Effective VSL Setting 65.0 MPH or Greater (USA)	0
1000857	S	Engine Idle Shutdown Timer Enabled	0
1000859	0	Enable EIST Ambient Temp Overrule	0
1000891		Eff EIST NA Expiration Miles	0
1002080	0	Air compressor: Cummins 18.7 CFM, Naturally Aspirated for Cummins X15 engines	0
1051200	S	Air Cleaner: composite firewall mounted PACCAR or Cummins engines	0
1105220	0	Fan Hub: Horton 2-Speed for X15	0
1123555	S	Cooling module: 1330 square inches. Includes aluminum radiator core, aluminum charge air cooler, translucent surge tank and washer bottle, silicone hoses, and extended life coolant.	0
1247234	S	EXH: 2021 RH Under DPF/SCR with RH SOC Vertical tailpipe. Not 2.1m high roof sleepers	0
1290136	S	Tailpipe: 5 in. single 36 in. 45 degree curved.	0
1321130	0	Fuel Filter: Davco 483 Fuel/Water Separator	11
1321220	0	Run Aid:Cummins TRV for Davco only *For Fuel Filter, X15 AND 2.1 m models	2
1321305	S	Start Aid:12V Heat *For Fuel Filter	1
1504005	0	Immersion block heater 120V 1500W w/plug under door on C500, T660, T800 & W900.	2
1812162	0	Alternator: 160 amp brushless with battery voltage sense. *This code replaced 1812160.	9
1821210	S	Batteries: 3 PACCAR GP31 threaded post (700-730) 2100-2190 CCA dual purpose.	0
1836103	0	PACCAR Premium 12V Starter W/ Cummins X15 Engines PACCAR 12 volt electrical system. With centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system with circuit protection circuits number & color coded.	0
1840065	S	12V low voltage disconnect for starter battery protection.	0
1900996	0	Jump start terminals under hood.	12
1901017	S	Remote PTO/Throttle, 12-Pin, Engine Bay Remote Control Provision	0
Transm	ission	& Clutch	
2016158	0	Transmission: Allison 4500RDS 6-speed w/o retarder, w/PTO provision. 5th generation. For vocational applications. Includes shift control, transmission oil temperature gauge,	478

Printed On: 6/2/2021 2:35:18 PM



Weight	Description	Std/ Opt	Sales Code
	oil level sensor & heat exchanger. Transynd transmission fluid is		
114	standard on all Allison 1000, 2000, 3000 & 4000 series transmissions. Driveline: 2 Meritor RPL25 SD; 1 Centerbearing	0	2408502
114	Requires 3500058, Replaces code 2408501.	U	2400002
0	Torque converter included w/Allison Transmission.	0	2410018
0	Pushbutton control center console mounted. Class 8 with Allison Transmission.	0	2410151
0	Delete Allison Fuel Sense	0	2410204
0	Allison Neutral at Stop Stand-Alone	0	2410310
	Not applicable with Allison Fuel Sense		
0	Customer installed transmission PTO in the LH	0	2429378
	Mounted position (8 o'clock) for Allison 3000 & 4000 transmissions. Equipment	lo 8 E	Eront Av
	-quipment	ie & E	FIOIIL AX
-80	Dana Spicer E-1462l Front Axle rated 14.6K 3-1/2in. drop.	0	2503463
-44	Front Brakes: 18K Bendix RSD HP-ES S-Cam 16.5x6 in. drum brake , Max GAWR 18K, with Cast Spider.	0	2601608
0	Front Brake drum included w/ front axles.	0	2690050
0	Front Hub: 14,600 lbs. aluminum hub pilot	0	2707050
	10-bolt, 11.25 in. bolt circle.	_	0744070
0	ConMet PreSet Plus Hub package; front axle.	S	2741970
0	Hubcap: front vented.	S	2750001
0	Front Auto Slack Adjuster.	0	2765001
-101	Front Springs: Taperleaf 14.6K w/shock absorbers 2-leaf. With maintenance-free elastomer spring pin bushings. Standard with rubber pins. Not available on W900L or W900S.	0	2864019
-64	Single power steering gear: 16K Sheppard SD110.	0	2895101
0	Power Steering Cooler:Radiator Mounted Air-to-Oil	S	2899336
	quipment	e & Ed	Rear Axl
-342	Dual Meritor MT44-14x5 Plus Rear Axle Rated At 44K. W/ 12.7MM Housin. Tandem Rear Axles.	0	3132246
0	Rear Axle Ratio - 4.63.	0	3200463
32	Rear Brake: Bendix RSD 16.5X8.625 Dual 46K Capacity, Reduced Stopping Distance Tractor Only. RSD-Compliant HP-ES S-Cam, tandem axle drum brake.	0	3304016
0	Dual Rear Brake Drums: cast.	S	3392005
0	Dual Rear Hubs: Aluminum hub pilot 46K 11-1/4 in. bolt circle.	S	3407050

Printed On: 6/2/2021 2:35:18 PM



Sales Code	Std/ Opt	Description	Weight
3441972	S	ConMet PreSet Plus Hub package; dual rear axle.	0
3465002	S	Dual Rear axle automatic slack adjusters.	0
3485213	0	Spring Brake: 3036 long stroke dual 30 square inches; 36 square inches spring chamber.	16
3495225	0	FMVSS-136 Stability Control Schedule Review Chassis meets FMVSS-136 requirements and must be equipped with Electronic Stability Control. Reference Option code placed on order.	0
3495231	0	Bendix 6S/6M anti-lock brake system w/air traction control (ATC) and electronic stability program (ESP) for tractor.	15
3500058	S	Driveline: 1 Meritor RPL20 Interaxle; Replacing I/A *Use W/ RPL(SD) 25 Main D/L	0
3511420	0	Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 52K forward rear & rear rear axle. Under Speed Interlock is standard on T680.	39
3740130	S	Rear suspension: Tandem Kenworth Airglide 460 46K 54 in. axle spacing. 10.5 in. ride height. Includes air suspension dump valve.	0
3808119	0	1 Steerable Pusher: Watson Chalin Tru Track 13.5K SL1190SSR Alumilite; includes axle.	1,271
3820041	0	1 Steerable Pusher Brakes:BendixRSD 16.5x5 in. Use with 13.5K axle.	0
3820533	0	1 Steerable Pusher cast brake drums. 16.5X5 in. for use with 13.5K axle.	0
3821121	0	1 Steerable pusher hubs aluminum hub pilot for use with 13.5K axle.	0
3828333	0	Pusher or Tag: gauge/switch dash-mounted; gauge and pressure regulator mounted BOC lower LH side.	0
3830152	S	Air Springs: Heavy-duty for Airglide 460. Replaces standard duty air springs.	0
3841054	0	1st Pusher location: 54 in. from c/l Forward tandem axle or single rear axle.	0
Tires &	Wheel		
4070057	Ο	Front Tires: Bridgestone R284 Ecopia 11R22.5 16P	4
4277413	0	Rear tires: Bridgestone M843 11R22.5 16PR. 42.5 in. diameter, all position. On/off highway. 25/32 tread depth. 19.9 in. SLR. Code is priced per pair of tires.	160
4781036	0	1 Steerable Pusher: 2 Bridgestone R284 Ecopia 11R22.5 14PR	4
4900008	0	Rear Tire Quantity: 8	0
5043363	0	Front Wheel: Alcoa 88267 22.5x8.25 aluminum with Lvl One [TM] finish, hub-pilot mount. 7,400 lb. maximum rating. Air disc brake compatible.	-154
5242309	0	Rear Wheel: Accuride 42644 22.5X8.25 aluminum hub pilot mount standard polish	-200

Printed On: 6/2/2021 2:35:18 PM



Sales Code	Std/ Opt	Description	Weight
5781309	0	1 Steerable Pusher Wheel: 2 Accuride 42644 22.5X8.25; aluminum Standard Polish, hub-pilot mount. 7400lb.	-50
		maximum rating.	
5850040	0	Wheelguards: all axles.	2
5854014	0	Dual Rear Axle: 4 Polished wheels. Polished	0
		both surface of outer dual or single aluminum wheels.	
5900008	0	Rear Wheel/Rim Quantity: 8	0
Frame &	Equip	oment	
6056400	0	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 285in. to 336 in. Truck frame weight is 3.48 lbin. per pair of rails. Section modulus is17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	407
6301360	S	Bumper: Straight Aluminum Channel. Requires a bumper setting code.	0
6319485	S	48.5 in. Bumper setting. Requires a bumper code.	0
6405048	S	Battery box module: Short length aluminum parallel under cab, aluminum diamond plate cover w/ step. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented	0
6409901	S	perpendicular on rail. Battery box location: LH Side.	0
6410010	0	Frame access grabhandle(s) LH mounted. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	0
6410092	0	Frame access grabhandle horizontal mounted at midpoint of sleeper or Daycab.	2
6414002	0	Short aluminum frame access deck plate, 24 in. unless only 12 in. fits.	10
6418006	0	Frame access steps: 2 ladder-type, LH mount. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.	15
6451090	S	T470,C5, T6, T8 non-polished DPF/SCR or CNG cover diamond plate w/ step. For use w/ 2010 or later exhaust systems. For T8, use extended length non-polished battery box on opposite rail to match the length of under cab components. End plates will be painted standard black frame color.	0
6593093	0	Fifth Wheel: Air, Jost JSK37USB-A7PX36 36.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	593
6679914	0	Any changes to rear cab/sleeper area must comply	0

Printed On: 6/2/2021 2:35:18 PM



Sales Code	Std/ Opt	Description	Weight
		w/FMCSR 399.	
6679915	0	Customer-installed bulkhead and/or headache rack.	0
6680000		FifthWheelRearFixedSetting FW rear/fixed setting behind ahd 0 in	0
6721102	S	Rear mudflap arms: Betts B-25 standard-duty, straight. Includes B1732 mounting brackets as standard.	0
6722000	S	Rear mudflap shields: White plastic antisail w/ Kenworth logo.	0
6743109	0	Tractor Taper w/ heavy-duty crossmember. Non-towing end-of-frame configuration.	61
6747000	0	Shortest end-of-frame cutoff with specified end-of-frame configuration. Selecting this code will override the overhang dimension found in the Vocational Analysis of Prospector.	0
Fuel Tai	nks & I	Equip	
7214075	0	Fuel Tank: 75 US gallon 24.5in. aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	-11
7722153	S	Small round DEF tank, 14 gallons. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	0
7889003	0	Fuel fill rear tank(s) under.	0
7889203	S	DEF to fuel fill ratio 2:1 or greater.	0
7889245	S	Anti-siphon device in fuel tank filler neck. For any number of fuel tanks.	0
7889604	S	DEF tank location is LH.	0
7930075	0	Location: 75 gal fuel tank RH behind cab	0
Cab & E	quipm	nent	
8025301	S	Cab: Stamped aluminum cab with panoramic curved glass windshield. Standard with stamped aluminum doors, heavy duty in-swinging hinges, and triple sealed doors. Manufactured using self-piercing rivets and structural adhesive. Includes LED exterior marker lights and turn signals.	0
8090604	0	Hood: T880 Standard Length With Mechanically Fastened Fenders. 122.6 inch BBC.	15
8108011	S	Cab HVAC - Day Cab and 40in Sleeper System With Defrost, A/C, and 48,000 BTU/hr Heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter and cabin recirculation air filter standard. The Kenworth HVAC system is designed to provide optimal heating and cooling in all	0

Printed On: 6/2/2021 2:35:18 PM



Sales Code	Std/ Opt	Description	Weight
		operating environments without need for additional insulation. Cab HVAC without sleeper heater AC is available with 40in sleeper.	
8201047	S	Kenworth Smartwheel: 18 in. Non-Leather With Integrated Radio and Cruise Controls.	0
8201051	0	Column Mtd Retarder Control, RH Side Use with Manual & Allison Transmissions Only.	0
8201200	S	Adjustable telescoping tilt steering column.	0
8203197	0	Dash Mounted Compact Trailer Brake Valve. Non-Self Returning.	0
8205187	0	Information for customer-installed PTO Muncie 828S Double Acting.	0
8208495	0	Two spare switches: Wired to power.	0
8222404	S	GAU: DD VIRTUAL GAUGE - OIL TEMP ENG	0
8222409	S	GAU: DD VIRTUAL GAUGE - AIR FILTER RESTRICTION	0
8222413	S	GAU: DD VIRTUAL GAUGE - MANIFOLD PRESSURE BOOST	0
8222414	S	GAU: DD VIRTUAL GAUGE - ENGINE PERCENT TORQUE	0
8282027	S	MAIN INSTRUMENT PACKAGE: 15" Digital Display. Includes Speedometer, Tachometer, Primary Air Pressure, Secondary Air Pressure, Fuel Level #1, DEF Level, DPF Filter Status, Fuel Economy, Oil Pressure, Coolant Temp, OAT and Voltmeter, and Air Application.	3
8300008	S	Interior color: Slate Gray	0
8330102	S	Interior package: Vantage daycab Includes durable headliner and vinyl sidewalls with geometric patterned trim and anodized aluminum accents throughout. Convenient overhead storage cubbies, full size glove box, two center console cupholders, and large door pad map pocket. Standard LH/RH power windows, electric door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Includes two standard 12V power outlets. Driver sunvisor includes strap.	0
8390634	S	Rubber floormat	0
8410206	S	Driver Seat: GT701 HB with Cloth w/ Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	0
8460206	0	Rider Seat: GT701 HB with Cloth w/ Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51	34

Printed On: 6/2/2021 2:35:18 PM



Sales Code	Std/ Opt	Description	Weight
		degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.	
8490181	S	Seat Color: Black	0
8496559	0	Driver and Rider Seat Belts: Orange Seat Belts. Replacing standard color.	0
8601432	0	Kenworth Radio DEA710 AM/FM/WB/USB, Bluetooth	0
8698974	0	Base Level Audio System - Daycab:High Performance Door Speakers.	2
8700197	S	Turn Signal: Non-Self Cancelling	0
8700283	S	LH and RH Trip Ledge Rain Deflectors	0
8700663	S	Kenworth TruckTech+ The Kenworth Remote Diagnostics system provides the Worlds Best reporting of engine and aftertreatment fault codes, as well as enhanced support for the truck owner through rapid communication of fault severity and recommended actions. This option is Standard on all Heavy Duty Kenworths with a PACCAR MX engine, Cummins X15 engine, PX engine or Natural Gas engine. Optional on Medium Duty Kenworths.	0
8700666	0	Prewire: PeopleNet Fleet Manage. With TruckTech+ Pre-wire for PeopleNet Fleet Management Services on vehicles with TruckTech+. Includes wiring harness for connecting PeopleNet display. No antenna bracket required. For addition of Trailer Tracking	1
8800402	S	functionality, use 8700667. Dual Cab Interior Grabhandles: A Pillar Mounted Dash Wrap and B Pillar Mounted Grabhandles	0
8832113	S	Kenworth Daylite Door with standard LH/RH electric door locks and LH/RH electric window controls.	0
8841411	S	Single air horn under cab.	0
8850139	S	Look-Down, Pass. Door, Black 11x6	0
8865002	S	Aero Mirror: Dual Kenworth Aerodynamic Motorized heated mirrors, 7in X 13in with cab color mirror shell and black mirror arms. Also includes LH/RH heated 6in X 7in convex mirrors. Mirror brackets set for 8-1/2 ft load width. Mirror controls located on driver side door pad.	0
8871446	S	Rear cab stationary window 19in x 36in	0
8890101	S	One-piece bonded-in windshield with curved glass. Standard.	0
8890135	S	Exterior stainless steel sunvisor.	19
8890349	S	Wheelwell Fender Extension: 2.5 Inches	0
8890876	S	Kenworth Cab/Sleeper Air Suspension.	0

Printed On: 6/2/2021 2:35:18 PM



Sales Code	Std/ Opt	Description	Weight
Lights &	Instru	ments	
9010553	S	Headlamps: SAE Dual Halogen Complex Reflector	0
9022137	S	Marker Lights: Five, rectangular, LED	0
9030016	0	Turn Signal Lights: Flush mounted LED mounted at top of fender wheel arc	0
9030052	S	LED Stop,Turn,Tail: With Two LED Backup Lights and With An LED License Plate.	0
9090039	S	Marker Lights: Interrupter Switch. Included in Turn Signal For All Models Except T3. The T3 Switch Is In The Dash.	0
9090049	S	Omit Brake Light with Engine Brake. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.	0
Air Equi	pment		
9101218	S	Air Dryer: Bendix AD-HF Puraguard Heated	0
9108001	S	Moisture ejection valve w/ pull cable drain.	0
9110071	0	Tractor kit: Center frame-mounted w/ hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	24
9120015	0	Air and light line length 15 feet	0
9140020	S	Nylon air tubing in frame & cab, excluding hoses subject to excessive heat or flexing.	0
9140328	0	Trailer ABS electric supply through SAE J560 7-pin connector per TMC RP137).	0
9140361	0	Phillips 15' Straight Air/Light Lines Spiral Wrap 30-21712KW Req. Trct Kit	3
9140700	0	Standard hosetenna Bracket Location. Hosetenna bracket will be located plus or minus six inches from standard location of eight inches.	0
Extende	d Warr		
9200021	S	Base Warranty - Standard Service Heavy Duty 12 months / 100,000 miles / 160,000 km.	0
9212611	0	24 Month TruckTech+ Subscription for Cummins Engines	0
Miscella	neous		
9409852	0	GHG Secondary Manufacturer: Does Not Apply	0

Printed On: 6/2/2021 2:35:18 PM



Sales Code	Std/ Opt	Description	Weight
9491659	S	VMUX Architecture	0
		VMOX Alcintecture	
Promoti	ons		
Paint			
9700000	0	Paint color number(s).	0
		N9702 A - L0006 WHITE N9720 FRAME N0001 BLACK	
9943004	0	Bumper Unpainted	0
9943050	0	Day Cab Standard Paint	0
9944820	S	1 - Color Paint - Day Cab Color will be White if no other color is specified.	0
9965510	S	Base coat/clear coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	0

Order Comments

Total Weight 18,329

Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval.

Dimensional and performance data for unpublished options may vary from that displayed in CRM.

PRICING DISCLAIMER

While we make every effort to maintain the web site to preserve pricing accuracy, prices are subject to change without notice. Although the information in this price list is presented in good faith and believed to be correct at the time of printing, we make no representations or warranties as to the completeness or accuracy of this information. We reserve the right to change, delete or otherwise modify the pricing information which is represented herein without any prior notice. We carefully check pricing specifications, but occasionally errors can occur, therefore we reserve the right to change such prices without notice. We disclaim all liability for any errors or omissions in the materials. In no event will we be responsible for any damages of any nature whatsoever from the reliance upon information from these materials. Please check your order prebills to confirm your pricing information

Price Level: January 1, 2021 Deal: T880 triaxle tractor

Printed On: 6/2/2021 2:35:18 PM



Date: June 02, 2021

Shipping Destinations

Intermediate Destination:

Final Destinations Quantity

Price Level: January 1, 2021 Deal: T880 triaxle tractor Quote Number: QUO-752891-X2G3C7